

# Retro AGA – Set



## **Thermostatic Heads**

Retrofit thermostatic insert with pre-setting and thermostatic head for 2-pipe systems

*Engineering  
GREAT Solutions*

# Retro AGA – Set

With retrofit insert for AGA TP the insert in a two-pipe radiator connection system, type AGA Thermopanel 1970-1988, can be exchanged and provided with thermostat.



## Key features

- > **Liquid-filled thermostat**  
with high pressure power and precision control
- > **Verification of the setting**  
through the front side numbers
- > **Insert with double O-ring seal**  
for durable and maintenance free operation
- > **Presetting with “a twist”**  
for easy setting

## Technical description


With retrofit insert for AGA TP the insert in a two-pipe radiator connection system, type AGA Thermopanel 1970-1988, can be exchanged and provided with thermostat.

The distributor pipe of the radiator connection system must be marked with blue tape. For radiator connection systems marked with red tape, use the article 50 543-001.

The insert is pre-settable by means of an adjustable wrench.


The insert is equipped with O-rings for sealing against the manifold.

## Articles



### Thermostat TRV Nordic with insert 2-pipe


Setting range, thermostatic head	Article No
6-22°C	9691-00.229
6-28°C	9691-00.230



### Thermostatic insert

Article No
4367-00.301

## Diagram



Position	1	2	3	4	5	6
<b>Kv (P-band 2 K)</b>	0,069	0,125	0,198	0,263	0,335	0,398
<b>Fully open valve disc*</b>	0,069	0,138	0,292	0,335	0,508	0,602

\*) The values are valid for on/off regulation with, for example, thermo actuator EMO T.

